

A Safari Report from: The Audubon Shop

The Audubon Shop, 907 Boston Post Rd, Madison, CT 06443, USA

Optics--Natural History Books--Wildlife Art--Birdfeeding

**Toll free 888-505-9056 in the U.S.
Tel:203-245-9056; Fax 203-245-8235**

email:birdshop@sbcglobal.net

**The Audubon Shop Kenya Safari
was a program of Caligo Ventures Tours and Travel**

**Caligo Ventures, Inc.426 Petronia Street, PO Box 6356, Key West, FL 33041-6356;
Tel 800-426-7781 (US & Canada) Tel: 305-292-0708; Fax 305-292-0706;
Web: www.caligo.com**

| KENYAN BIRD LIST 8/14 - 8/27/05 (near-endemic - bold) | | | |
|--|------------------------------------|--------------------------------------|--|
| OSTRICH <i>Struthioniformes Struthionidae</i> | | | |
| 1 | Ostrich | <i>Struthio camelus</i> | Nairobi NP 8/14; common in Mara |
| GREBES <i>Podicipediformes Podicipedidae</i> | | | |
| 2 | Little Grebe | <i>Tachybaptus ruficollis</i> | Karatina ponds 8/15 (drive to Mt Kenya) |
| PELICANS <i>Pelecaniformes Pelecanidae</i> | | | |
| 3 | Great White Pelican | <i>Pelecanus onocrotalus</i> | Lake Nakuru |
| 4 | Pink-backed Pelican | <i>Pelecanus rufescens</i> | Lake Baringo |
| CORMORANTS <i>Pelecaniformes Phalacrocoracidae</i> | | | |
| 5 | Great Cormorant | <i>Phalacrocorax carbo</i> | sewage ponds at Lake Nakuru |
| 6 | Long-tailed Cormorant | <i>Phalacrocorax africanus</i> | sewage ponds at Lake Nakuru |
| ANHINGAS <i>Pelecaniformes Anhingidae</i> | | | |
| 7 | Darter | <i>Anhinga melanogaster</i> | Lake Baringo |
| HERONS <i>Ciconiiformes Ardeidae</i> | | | |
| 8 | Gray Heron | <i>Ardea cinerea</i> | most days |
| 9 | Black-headed Heron | <i>Ardea melanocephala</i> | Solio 8/17 - often found away from water |
| 10 | Goliath Heron | <i>Ardea goliath</i> | Lake Baringo |
| 11 | Purple Heron | <i>Ardea purpurea</i> | Lake Baringo 8/20 |
| 12 | Great Egret | <i>Ardea alba</i> | both lakes, most rivers |
| 13 | Intermediate (Yellow-billed) Egret | <i>Egretta intermedia</i> | Lake Baringo |
| 14 | Little Egret | <i>Egretta garzetta</i> | Lake Nakuru |
| 15 | Squacco Heron | <i>Ardeola ralloides</i> | Lake Baringo |
| 16 | Madagascar (Squacco) Pond-Heron | <i>Ardeola idae</i> | Lake Baringo 8/19; Mara 8/25 |
| 17 | Rufous-bellied Heron | <i>Ardeola rufiventris</i> | specialty for "birders" rover @ park border 8/26 |
| 18 | Cattle Egret | <i>Bubulcus ibis</i> | common in pastures |
| 19 | Striated (Green-backed) Heron | <i>Butorides striatus</i> | Lake Baringo |
| HAMERKOP <i>Ciconiiformes Scopidae</i> | | | |
| 20 | Hamerkop | <i>Scopus umbretta</i> | Most days |
| STORKS <i>Ciconiiformes Ciconiidae</i> | | | |
| 21 | Yellow-billed Stork | <i>Mycteria ibis</i> | Lake Nakuru, Mara |
| 22 | African Openbill | <i>Anastomus lamelligerus</i> | Ahero lunch spot 8/23 |
| 23 | Woolly-necked Stork | <i>Ciconia episcopus</i> | leaving Baringo, Mara |
| 24 | White Stork | <i>Ciconia ciconia</i> | Mara |
| 25 | Saddle-billed Stork | <i>Ephippiorhynchus senegalensis</i> | most spectacular stork -1st-Nairobi NP |
| 26 | Marabou Stork | <i>Leptoptilos crumeniferus</i> | most common stork |
| IBIS AND SPOONBILLS <i>Ciconiiformes Threskiornithidae</i> | | | |
| 27 | Sacred Ibis | <i>Threskiornis aethiopicus</i> | most days |
| 28 | Hadada Ibis | <i>Bostrychia hagedash</i> | absent in Baringo and Kakamega |
| 29 | Glossy Ibis | <i>Plegadis falcinellus</i> | Lake Nakuru 8/18 |
| 30 | African Spoonbill | <i>Platalea alba</i> | Lake Nakuru 8/18, Lake Victoria |
| FLAMINGOS <i>Phoenicopteriformes Phoenicopteridae</i> | | | |
| 31 | Greater Flamingo | <i>Phoenicopterus ruber</i> | Lake Nakuru |
| 32 | Lesser Flamingo | <i>Phoenicopterus minor</i> | Lake Nakuru (a few) |
| DUCKS <i>Anseriformes Anatidae</i> | | | |
| 33 | White-faced Whistling-Duck | <i>Dendrocygna viduata</i> | 1st at Karatina ponds 8/15 (drive to Mt Kenya) |
| 34 | Egyptian Goose | <i>Alopochen aegyptiacus</i> | absent in Baringo and Kakamega |
| 35 | African Black Duck | <i>Anas sparsa</i> | "reservoir" lunch break 8/17 drive to Nakuru |
| 36 | Cape Teal | <i>Anas capensis</i> | sewage ponds at Lake Nakuru |
| 37 | Yellow-billed Duck | <i>Anas undulata</i> | 1st at Karatina ponds |
| 38 | Hottentot Teal | <i>Anas hottentota</i> | sewage ponds at Lake Nakuru |
| 39 | Southern Pochard | <i>Netta erythrophthalma</i> | sewage ponds at Lake Nakuru |

| | | | |
|----|--|---------------------------------|--|
| | HAWKS <i>Falconiformes Accipitridae</i> | | |
| 40 | Black-shouldered Kite | <i>Elanus caeruleus</i> | 1st @ Baringo escarp. |
| 41 | Black Kite | <i>Milvus migrans</i> | common in and around Nairobi |
| 42 | African Fish-Eagle | <i>Haliaeetus vocifer</i> | common on the lakes |
| 43 | Hooded Vulture | <i>Necrosyrtes monachus</i> | Mara |
| 44 | White-backed Vulture | <i>Gyps africanus</i> | most common; most days |
| 45 | Rueppell's Griffon | <i>Gyps rueppellii</i> | Mara |
| 46 | Lappet-faced Vulture | <i>Torgos tracheliotus</i> | Mara |
| 47 | White-headed Vulture | <i>Trigonoceps occipitalis</i> | Mara |
| 48 | Black-chested Snake-Eagle | <i>Circaetus pectoralis</i> | Mara 8/24 |
| 49 | Brown Snake-Eagle | <i>Circaetus cinereus</i> | Baringo escarp. 8/20; Mara 8/25 |
| 50 | Bateleur | <i>Terathopius ecaudatus</i> | Mara |
| 51 | Pallid Harrier | <i>Circus macrourus</i> | Mara 8/24 |
| 52 | Montagu's Harrier | <i>Circus pygargus</i> | "birders" at Mara Hippo pond 8/25 |
| 53 | Lizard Buzzard | <i>Kaupifalco monogrammicus</i> | Edwin's rover approaching Lake Victoria |
| 54 | Dark Chanting-Goshawk | <i>Melierax metabates</i> | Several seen |
| 55 | Gabar Goshawk | <i>Micronisus gabar</i> | Mara 8/24 late afternoon |
| 56 | African Goshawk | <i>Accipiter tachiro</i> | Drive to Naro Moru 8/16 am |
| 57 | Little Sparrowhawk | <i>Accipiter minullus</i> | Lake Nakuru 8/18 |
| 58 | Black Goshawk (Great Sparrowhawk) | <i>Accipiter melanoleucus</i> | Kakamega 8/22 |
| 59 | Mountain Buzzard | <i>Buteo oreophilus</i> | Mt Kenya 8/16 am |
| 60 | Augur Buzzard | <i>Buteo augur</i> | the "African Red-tailed Hawk" |
| 61 | Tawny Eagle | <i>Aquila rapax</i> | Mara |
| 62 | Verreaux's Eagle | <i>Aquila verreauxii</i> | "Hawk Blitz" 8/16 am Mt Kenya |
| 63 | Ayres's Hawk-Eagle | <i>Hieraaetus ayresii</i> | "Hawk Blitz" 8/16 am Mt Kenya |
| 64 | Martial Eagle | <i>Polemaetus bellicosus</i> | "Hawk Blitz" 8/16 am ; reservoir 8/17 |
| 65 | Long-crested Eagle | <i>Lophaetus occipitalis</i> | Can a bird this cool be a trash bird? |
| 66 | Crowned Hawk-Eagle | <i>Stephanoaetus coronatus</i> | "Hawk Blitz"; Nest over road w/ 1 juv. 8/16 |
| | SECRETARY-BIRD <i>Falconiformes Sagittariidae</i> | | |
| 67 | Secretary-bird | <i>Sagittarius serpentarius</i> | drive to Naro Moru; Mara |
| | FALCONS <i>Falconiformes Falconidae</i> | | |
| 68 | Pygmy Falcon | <i>Polihierax semitorquatus</i> | Baringo escarp. |
| 69 | Eurasian (Common) Kestrel | <i>Falco tinnunculus</i> | several seen in Baringo area |
| 70 | Greater Kestrel | <i>Falco rupicoloides</i> | Solio 8/17 |
| 71 | Gray Kestrel | <i>Falco ardosiaceus</i> | Mara |
| 72 | Lanner Falcon | <i>Falco biarmicus</i> | Mt Kenya eve. walk w/ Vincent 8/15 |
| 73 | Peregrine Falcon | <i>Falco peregrinus</i> | Solio 8/17 |
| | PHEASANTS AND PARTRIDGES <i>Galliformes Phasianidae</i> | | |
| 74 | Coqui Francolin | <i>Francolinus coqui</i> | one rover: Lake Nakuru; Mara; scrub near Siana |
| 75 | Crested Francolin | <i>Francolinus sephaena</i> | Mara 8/27 |
| 76 | Red-necked Francolin (Spurfowl) | <i>Francolinus afer</i> | common at Mara lodge |
| 77 | Harlequin Quail | <i>Coturnix delegorguei</i> | Jack and Chris @ Naro Moru 8/17 am |
| | GUINEAFOWL <i>Galliformes Numididae</i> | | |
| 78 | Helmeted Guineafowl | <i>Numida meleagris</i> | seen in several locations |
| | CRANES <i>Gruiformes Gruidae</i> | | |
| 79 | Gray Crowned-Crane | <i>Balearica regulorum</i> | seen in several locations |
| | RAILS <i>Gruiformes Rallidae</i> | | |
| 80 | Buff-spotted Flufftail (H) | <i>Sarothrura elegans</i> | Heard only Kakamega |
| 81 | African Rail (H) | <i>Rallus caerulescens</i> | Heard only Nairobi NP (pond) |
| 82 | Black Crane | <i>Amaurornis flavirostris</i> | Reservoir (lunch spot) 8/17 |
| 83 | Purple Swamphen | <i>Porphyrio porphyrio</i> | Reservoir (lunch spot) 8/17 (Jerry only) |
| 84 | Common Moorhen | <i>Gallinula chloropus</i> | Nairobi NP; Reservoir (lunch spot) 8/17 |
| 85 | Red-knobbed Coot | <i>Fulica cristata</i> | Karatina Ponds; Nakuru |

| | | | |
|-----|--|--------------------------------|-------------------------------|
| | BUSTARDS <i>Gruiformes Otididae</i> | | |
| 86 | Kori Bustard | <i>Ardeotis kori</i> | largest bustard - Mara 8/25 |
| 87 | White-bellied Bustard | <i>Eupodotis senegalensis</i> | Solio; Mara |
| 88 | Black-bellied Bustard | <i>Lissotis melanogaster</i> | Mara |
| | JACANAS <i>Charadriiformes Jacanidae</i> | | |
| 89 | African Jacana | <i>Actophilornis africanus</i> | 1st at Karatina Ponds |
| | AVOCETS AND STILTS <i>Charadriiformes Recurvirostridae</i> | | |
| 90 | Black-winged Stilt | <i>Himantopus himantopus</i> | Nakuru; Victoria |
| | THICK-KNEES <i>Charadriiformes Burhinidae</i> | | |
| 91 | Water Thick-knee | <i>Burhinus vermiculatus</i> | Lake Victoria; mara |
| 92 | Senegal Thick-knee | <i>Burhinus senegalensis</i> | Lake Baringo |
| 93 | Spotted Thick-knee | <i>Burhinus capensis</i> | Solio |
| | PRATINCOLES AND COURSERS <i>Charadriiformes Glareolidae</i> | | |
| 94 | Temminck's Courser | <i>Cursorius temminckii</i> | Mara 8/24 |
| 95 | Double-banded (Two-banded) Courser | <i>Smutsornis africanus</i> | ride back to Nairobi 8/27 |
| 96 | Three-banded (Heuglin's) Courser | <i>Rhinoptilus cinctus</i> | Baringo escarp. 8/20 |
| 97 | Collared Pratincole | <i>Glareola pratincola</i> | by some near Victoria |
| | PLOVERS AND LAPWINGS <i>Charadriiformes Charadriidae</i> | | |
| 98 | Long-toed Lapwing | <i>Vanellus crassirostris</i> | Ahero lunch 8/23; Mara 8/25 |
| 99 | Blacksmith Plover | <i>Vanellus armatus</i> | Lakes Nakuru, Victoria |
| 100 | Spur-winged Plover | <i>Vanellus spinosus</i> | best at Mara |
| 101 | Black-headed Lapwing | <i>Vanellus tectus</i> | Lake Baringo |
| 102 | Black-winged Lapwing | <i>Vanellus melanopterus</i> | Solio; Mara |
| 103 | Crowned Lapwing | <i>Vanellus coronatus</i> | Solio, then often seen |
| 104 | Wattled Lapwing | <i>Vanellus senegallus</i> | Great looks at Mara |
| 105 | Common Ringed Plover | <i>Charadrius hiaticula</i> | Lake Nakuru 8/18 |
| 106 | Kittlitz's Plover | <i>Charadrius pecuarius</i> | Lake Nakuru sewage ponds 8/18 |
| 107 | Three-banded Plover | <i>Charadrius tricollaris</i> | Nairobi NP, then often seen |
| 108 | Caspian Plover | <i>Charadrius asiaticus</i> | by some at Mara 8/25 |
| | SANDPIPERS <i>Charadriiformes Scolopacidae</i> | | |
| 109 | Marsh Sandpiper | <i>Tringa stagnatilis</i> | Lake Nakuru 8/18 |
| 110 | Common Greenshank | <i>Tringa nebularia</i> | Lake Nakuru 8/18 |
| 111 | Green Sandpiper | <i>Tringa ochropus</i> | Mara at hippo pond 8/25 |
| 112 | Wood Sandpiper | <i>Tringa glareola</i> | Lake Nakuru; Mara |
| 113 | Common Sandpiper | <i>Actitis hypoleucos</i> | well-named |
| 114 | Little Stint | <i>Calidris minuta</i> | Lake Nakuru 8/18 |
| 115 | Curlew Sandpiper | <i>Calidris ferruginea</i> | Lake Nakuru 8/18; Baringo |
| 116 | Ruff | <i>Philomachus pugnax</i> | Lake Nakuru 8/18; Mara |
| | GULLS <i>Charadriiformes Laridae</i> | | |
| 117 | Gray-headed Gull | <i>Larus cirrocephalus</i> | Lake Nakuru 8/18; Victoria |
| | TERNs <i>Charadriiformes Sternidae</i> | | |
| 118 | Gull-billed Tern | <i>Sterna nilotica</i> | Lake Nakuru 8/18; Victoria |
| 119 | Whiskered Tern | <i>Chlidonias hybridus</i> | Lakes |
| 120 | White-winged Tern | <i>Chlidonias leucopterus</i> | Lakes |
| | SANDGROUSE <i>Pterocliiformes Pteroclididae</i> | | |
| 121 | Yellow-throated Sandgrouse | <i>Pterocles gutturalis</i> | Mara 8/24, 26 |
| | PIGEONS AND DOVES <i>Columbiformes Columbidae</i> | | |
| 122 | Rock Pigeon | <i>Columba livia</i> | Kisumu |
| 123 | Speckled Pigeon | <i>Columba guinea</i> | Baringo, Mara |
| 124 | Delegorgue's (E Bronze-naped) Pigeon | <i>Columba delegorguei</i> | Mt Kenya |
| 125 | Dusky Turtle-Dove | <i>Streptopelia lugens</i> | by some KB Museum |
| 126 | African Mourning Dove | <i>Streptopelia decipiens</i> | Baringo |

A Safari Report from: The Audubon Shop, 907 Boston Post Rd, Madison, CT 06443, USA

| | | | |
|-----|--|-----------------------------------|--|
| 127 | Red-eyed Dove | <i>Streptopelia semitorquata</i> | most common |
| 128 | Ring-necked Dove | <i>Streptopelia capicola</i> | 2nd most common |
| 129 | Laughing Dove | <i>Streptopelia senegalensis</i> | Nakuru; Baringo |
| 130 | Emerald-spotted Wood-Dove | <i>Turtur chalcospilos</i> | 1st Nakuru |
| 131 | Blue-spotted Wood-Dove | <i>Turtur afer</i> | Rondo ent. road 8/22 |
| 132 | Tambourine Dove | <i>Turtur tympanistria</i> | Joeseeph 8/23; Chris & Mark @ Siana 8/26 |
| 133 | Namaqua Dove | <i>Oena capensis</i> | Baringo |
| | African Green-Pigeon | <i>Treron calva</i> | 1st in Nairobi |
| 134 | PARROTS <i>Psittaciformes Psittacidae</i> | | |
| 135 | Yellow-collared Lovebird | <i>Agapornis personatus</i> | on ou way out of Nakuru NP @ gate 8/19 |
| 136 | Red-fronted Parrot | <i>Poicephalus gullelmi</i> | Mt Kenya |
| 137 | Meyer's (Brown) Parrot | <i>Poicephalus meyeri</i> | Siana scrub 8/26 |
| | TURACOS <i>Musophagiformes Musophagidae</i> | | |
| 138 | Great Blue Turaco | <i>Corythaeola cristata</i> | Kakamega specialty |
| 139 | Schalow's Turaco | <i>Tauraco schalowi</i> | by some outside Jerry's tent 8/25 Mara |
| 140 | White-crested Turaco | <i>Tauraco leucolophus</i> | Judy spotted first @ KerioValley lunch spot 8/21 |
| 141 | Hartlaub's Turaco | <i>Tauraco hartlaubi</i> | highlands - Nairobi; Mt Kenya |
| 142 | Bare-faced Go-away-bird | <i>Corythaixoides personatus</i> | Siana scrub 8/26 |
| 143 | White-bellied Go-away-bird | <i>Corythaixoides leucogaster</i> | Baringo escarp. |
| 144 | Eastern Plantain-eater | <i>Crinifer zonurus</i> | "Plantation-eater" Kisumu 8/23 |
| | CUCKOOS <i>Cuculiformes Cuculidae</i> | | |
| 145 | Pied (Black and White) Cuckoo | <i>Clamator jacobinus</i> | Nakuru 8/18 |
| 146 | Levaillant's Cuckoo | <i>Clamator levaillantii</i> | Kakamega w/ David 8/22 |
| 147 | Great Spotted Cuckoo | <i>Clamator glandarius</i> | leaving Baringo 8/21 |
| 148 | Red-chested Cuckoo | <i>Cuculus solitarius</i> | Nakuru |
| 149 | Black Cuckoo | <i>Cuculus clamosus</i> | Nakuru |
| 150 | Klaas's Cuckoo | <i>Chrysococcyx klaas</i> | Nakuru; Baringo |
| 151 | African Emerald Cuckoo | <i>Chrysococcyx cupreus</i> | Kakamega 8/22 - seldom seen beauty |
| 152 | Dideric Cuckoo | <i>Chrysococcyx caprius</i> | Nakuru; Baringo |
| 153 | White-browed Coucal | <i>Centropus superciliosus</i> | 1st at KB Museum |
| | BARN-OWLS <i>Strigiformes Tytonidae</i> | | |
| 154 | African Grass-Owl | <i>Tyto capensis</i> | Joeseeph's rover - Mara 8/25 |
| | OWLS <i>Strigiformes Strigidae</i> | | |
| 155 | Northern White-faced Owl | <i>Ptilopsis leucotis</i> | stakeout Baringo escarp. 8/20 |
| 156 | Cape Eagle-Owl | <i>Bubo capensis</i> | stakeout cliff just beyond quarry on Hwy B5 8/17 |
| 157 | Spotted Eagle-Owl | <i>Bubo africanus</i> | Baringo area 8/20 |
| 158 | Verreaux's Eagle-Owl | <i>Bubo lacteus</i> | Mt Kenya after dinner 8/15 |
| 159 | Pearl-spotted Owlet | <i>Glaucidium perlatum</i> | near Kabernet 8/21; mobbed at Siana scrub 8/27 |
| | NIGHTJARS <i>Caprimulgiformes Caprimulgidae</i> | | |
| 160 | Sombre (Dusky) Nightjar | <i>Caprimulgus fraenatus</i> | Siana night game drive 8/26 |
| 161 | Slender-tailed Nightjar | <i>Caprimulgus clarus</i> | Baringo grassland (w/Heuglin's Courser) 8/20 |
| | SWIFTS <i>Apodiformes Apodidae</i> | | |
| 162 | African Palm-Swift | <i>Cypsiurus parvus</i> | 1st Nairobi NP |
| 163 | Alpine Swift | <i>Tachymarptis melba</i> | Mt Kenya |
| 164 | Mottled Swift | <i>Tachymarptis aequatorialis</i> | Mara 8/24 |
| 165 | Nyanza Swift | <i>Apus niansae</i> | Nakuru 8/18 |
| 166 | Little Swift | <i>Apus affinis</i> | Baringo |
| 167 | Horus Swift | <i>Apus horus</i> | Nakuru |
| 168 | White-rumped Swift | <i>Apus caffer</i> | several locations |
| | MOUSEBIRDS <i>Coliidae</i> | | |
| 169 | Speckled Mousebird | <i>Colius striatus</i> | everyday |
| 170 | Blue-naped Mousebird | <i>Urocolius macrourus</i> | several locations |

| | | | |
|-----|---|-------------------------------------|--|
| | KINGFISHERS <i>Coraciiformes Alcedinidae</i> | | |
| 171 | Malachite Kingfisher | <i>Alcedo cristata</i> | most days |
| 172 | African Pygmy-Kingfisher | <i>Ispidina picta</i> | fly-by "deathmarch" 8/21; Kakamega 8/22 |
| 173 | Gray-headed Kingfisher | <i>Halcyon leucocephala</i> | 1st en route to Mt Kenya |
| 174 | Woodland Kingfisher | <i>Halcyon senegalensis</i> | by some at Kerio lunch spot (?) 8/21 |
| 175 | Striped Kingfisher | <i>Halcyon chelicuti</i> | Nakuru; Mara |
| 176 | Giant Kingfisher | <i>Megaceryle maxima</i> | Lake Baringo evening cruise 8/19 |
| 177 | Pied Kingfisher | <i>Ceryle rudis</i> | widespread |
| | BEE-EATERS <i>Coraciiformes Meropidae</i> | | |
| 178 | Blue-headed Bee-eater | <i>Merops muelleri</i> | uncommon Kakamega specialty 8/22 |
| 179 | White-fronted Bee-eater | <i>Merops bullockoides</i> | 1st at Nakuru |
| 180 | Little Bee-eater | <i>Merops pusillus</i> | Nairobi NP; common in Mara |
| 181 | Cinnamon-chested Bee-eater | <i>Merops oreobates</i> | most locations except Baringo and Mara |
| 182 | White-throated Bee-eater | <i>Merops albicollis</i> | Baringo |
| 183 | Madagascar Bee-eater | <i>Merops superciliosus</i> | Baringo |
| 184 | European Bee-eater | <i>Merops apiaster</i> | Kakamega |
| | ROLLERS <i>Coraciiformes Coraciidae</i> | | |
| 185 | Lilac-breasted Roller | <i>Coracias caudata</i> | gorgeous and yes, "most photoed bird in Kenya" |
| 186 | Rufous-crowned Roller | <i>Coracias naevia</i> | uncommon - leaving Baringo 8/21 |
| 187 | Broad-billed Roller | <i>Eurystomus glaucurus</i> | Nakuru |
| | HOOPoes <i>Coraciiformes Upupidae</i> | | |
| 188 | Eurasian Hoopoe | <i>Upupa epops</i> | Nakuru; Mara |
| | WOODHOOPoes AND SCIMITARBILLS <i>Coraciiformes Phoeniculidae</i> | | |
| 189 | Green Woodhoopoe | <i>Phoeniculus purpureus</i> | lakes; Siana scrub usually brief in flight looks |
| 190 | White-headed Woodhoopoe | <i>Phoeniculus bollei</i> | Mt Kenya 8/16 |
| 191 | Abyssinian Scimitar-bill | <i>Rhinopomastus minor</i> | Siana scrub 8/27 |
| | HORNBILLS <i>Coraciiformes Bucerotidae</i> | | |
| 192 | Red-billed Hornbill | <i>Tockus erythrorhynchus</i> | Baringo |
| 193 | Jackson's Hornbill | <i>Tockus jacksoni</i> | Baringo |
| 194 | Von der Decken's Hornbill | <i>Tockus deckeni</i> | Mara |
| 195 | Crowned Hornbill | <i>Tockus alboterminatus</i> | Naro Moru |
| 196 | Hemprich's Hornbill | <i>Tockus hemprichii</i> | Baringo |
| 197 | African Gray Hornbill | <i>Tockus nasutus</i> | Kerio Valley; Mara |
| 198 | Silvery-cheeked Hornbill | <i>Ceratogymna brevis</i> | Mt Kenya |
| 199 | Black-and-white-casqued Hornbill | <i>Ceratogymna subcylindricus</i> | Kakamega |
| 200 | Southern Ground-Hornbill | <i>Bucorvus leadbeateri</i> | by some Mara 8/24 |
| | BARBETS <i>Piciformes Capitonidae</i> | | |
| 201 | Gray-throated Barbet | <i>Gymnobucco bonapartei</i> | Kakamega 8/22 |
| 202 | Yellow-rumped Tinkerbird | <i>Pogoniulus bilineatus</i> | Naro Moru; Kakamega |
| 203 | Red-fronted Tinkerbird | <i>Pogoniulus pusillus</i> | Mara 8/24 (Chris and Mark); Siana scrub 8/27 |
| 204 | Yellow-spotted Barbet | <i>Buccanodon duchaillui</i> | Kakamega |
| 205 | Hairy-breasted Barbet | <i>Tricholaema hirsuta</i> | rare find Rondo ent road 8/23 |
| 206 | Red-fronted Barbet | <i>Tricholaema diademata</i> | Baringo |
| 207 | Spot-flanked Barbet | <i>Tricholaema lachrymosa</i> | 1st on Kerio death march 8/21 |
| 208 | Black-throated Barbet | <i>Tricholaema melanocephala</i> | Baringo |
| 209 | White-headed Barbet | <i>Lybius leucocephalus</i> | Kerio Valley 8/21 |
| 210 | Black-billed Barbet | <i>Lybius guifsobalito</i> | Kisumu 8/23 (found only in Lake Victoria basin) |
| 211 | Double-toothed Barbet | <i>Lybius bidentatus</i> | Mark had one Kisumu 8/23 |
| 212 | Yellow-billed Barbet | <i>Trachyphonus purpuratus</i> | Kakamega 8/22 |
| 213 | Red-and-yellow Barbet | <i>Trachyphonus erythrocephalus</i> | Baringo beauty |
| 214 | D'Arnaud's Barbet | <i>Trachyphonus darnaudii</i> | Baringo; Kakamega |

| | | | |
|-----|--|----------------------------------|--|
| | HONEYGUIDES <i>Piciformes Indicatoridae</i> | | |
| 215 | Scaly-throated Honeyguide | <i>Indicator variegatus</i> | Jerry-Nakuru 8/19; Chris and Mark-Siana 8/26 |
| 216 | Greater Honeyguide | <i>Indicator indicator</i> | Nakuru 8/18 |
| 217 | Lesser Honeyguide | <i>Indicator minor</i> | 1st at Naro Moru |
| 218 | Wahlberg's Honeyguide bird | <i>Prodotiscus regulus</i> | Kerio death march 8/21 |
| | WOODPECKERS <i>Piciformes Picidae</i> | | |
| 219 | Rufous-necked Wryneck (H) | <i>Jynx ruficollis</i> | Heard only Nakuru 8/19 |
| 220 | Nubian Woodpecker | <i>Campethera nubica</i> | 1st at Nakuru |
| 221 | Brown-eared Woodpecker | <i>Campethera caroli</i> | Kakamega 8/22 |
| 222 | Cardinal Woodpecker | <i>Dendropicos fuscescens</i> | most common |
| 223 | Bearded Woodpecker | <i>Dendropicos namaquus</i> | Mogotio |
| 224 | Gray Woodpecker | <i>Dendropicos goertae</i> | Nakuru |
| | LARKS <i>Passeriformes Alaudidae</i> | | |
| 225 | White-tailed Lark | <i>Mirafraga albicauda</i> | Mara 8/24 |
| 226 | Rufous-naped Lark | <i>Mirafraga africana</i> | most days |
| 227 | Fawn-colored Lark | <i>Mirafraga africanoides</i> | Siana scrub 8/27 |
| 228 | Pink-breasted Lark | <i>Mirafraga poecilosterna</i> | Baringo escarp 8/20 |
| 229 | Fischer's Sparrow-Lark | <i>Eremopterix leucopareia</i> | Baringo escarp; Mara |
| 230 | Red-capped Lark | <i>Calandrella cinerea</i> | Naro Moru; Mara |
| | SWALLOWS <i>Passeriformes Hirundinidae</i> | | |
| 231 | Plain Martin | <i>Riparia paludicola</i> | 1st at Nairobi NP |
| 232 | Banded Martin | <i>Riparia cincta</i> | Nairobi NP; Mara |
| 233 | Rock Martin | <i>Hirundo fuligula</i> | 1st at Nairobi NP |
| 234 | Barn Swallow | <i>Hirundo rustica</i> | 1st at Nakuru |
| 235 | Angola Swallow | <i>Hirundo angolensis</i> | Nakuru 8/18; Kisumu |
| 236 | Wire-tailed Swallow | <i>Hirundo smithii</i> | 1st at Nairobi NP |
| 237 | Lesser Striped-Swallow | <i>Hirundo abyssinica</i> | 1st at Nairobi NP |
| 238 | Mosque Swallow | <i>Hirundo senegalensis</i> | 1st at Naro Moru |
| 239 | Red-rumped Swallow | <i>Hirundo daurica</i> | 1st at Nairobi NP |
| 240 | White-headed Sawwing | <i>Psalidoprocne albiceps</i> | 1st at Kerio Valley |
| 241 | Black Sawwing | <i>Psalidoprocne holomelas</i> | most days |
| | WAGTAILS AND PIPITS <i>Passeriformes Motacillidae</i> | | |
| 242 | African Pied Wagtail | <i>Motacilla aguimp</i> | most days |
| 243 | Cape Wagtail | <i>Motacilla capensis</i> | Mt Kenya; Naro |
| 244 | Mountain Wagtail | <i>Motacilla clara</i> | Naro Moru; Kerio Valley |
| 245 | Yellow-throated Longclaw | <i>Macronyx croceus</i> | Nakuru; Mara (like E. Meadowlark) |
| 246 | Rosy-throated Longclaw | <i>Macronyx ameliae</i> | Solio; Mara |
| 247 | Plain-backed Pipit | <i>Anthus leucophrys</i> | 1st at Solio |
| 248 | African (Grassland) Pipit | <i>Anthus cinnamomeus</i> | 1st at Solio |
| 249 | Long-billed Pipit | <i>Anthus similis</i> | 1st at Nairobi NP |
| 250 | Bush Pipit | <i>Anthus caffer</i> | Lifer for Edwin. Siana scrub |
| | CUCKOO-SHRIKES <i>Passeriformes Campephagidae</i> | | |
| 251 | Petit's Cuckoo-shrike | <i>Campephaga petiti</i> | Kakamega (yellow gape) |
| 252 | Black Cuckoo-shrike | <i>Campephaga flava</i> | Mt Kenya |
| 253 | Purple-throated Cuckoo-shrike | <i>Campephaga quisqualina</i> | Kakamega 8/22 (reddish gape) |
| | BULBULS <i>Passeriformes Pycnonotidae</i> | | |
| 254 | Common Bulbul | <i>Pycnonotus barbatus</i> | well named |
| 255 | Shelley's Greenbul | <i>Andropadus masukuensis</i> | Kakamega |
| 256 | Plain (Cameroon Sombre) Greenbul | <i>Andropadus curvirostris</i> | Kakamega |
| 257 | Slender-billed Greenbul | <i>Andropadus gracilirostris</i> | Mt Kenya; Kakamega |
| 258 | Yellow-whiskered Bulbul (Greenbul) | <i>Andropadus latirostris</i> | Naro Moru; Kakamega |
| 259 | Eastern Mountain-Greenbul | <i>Andropadus nigriceps</i> | Mt Kenya |

| | | | |
|--|--|------------------------------------|---------------------------------------|
| 260 | Joyful Greenbul | <i>Chlorocichla laetissima</i> | Kakamega |
| 261 | Cabanis's Greenbul | <i>Phyllastrephus cabanisi</i> | both eastern and western races |
| 262 | Northern Brownbul | <i>Phyllastrephus strepitans</i> | Kerio Valley |
| 263 | Toro Olive-Greenbul | <i>Phyllastrephus hypochloris</i> | Kakamega |
| THRUSHES <i>Passeriformes Turdidae</i> | | | |
| 264 | White-tailed Ant-Thrush | <i>Neocossyphus poensis</i> | Kakamega ant follower |
| 265 | Little Rock-Thrush | <i>Monticola rufocinereus</i> | the gorge shortly after Solio 8/17 |
| 266 | Olive Thrush | <i>Turdus olivaceus</i> | like our American Robin |
| 267 | African Thrush | <i>Turdus pelios</i> | Nakuru |
| CISTICOLAS AND ALLIES <i>Passeriformes Cisticolidae</i> | | | |
| 268 | Singing Cisticola | <i>Cisticola cantans</i> | Nairobi NP |
| 269 | Chubb's Cisticola | <i>Cisticola chubbi</i> | Kakamega |
| 270 | Hunter's Cisticola | <i>Cisticola hunteri</i> | Mt Kenya |
| 271 | Rattling Cisticola | <i>Cisticola chiniana</i> | Nakuru; Mara |
| 272 | Winding Cisticola | <i>Cisticola galactotes</i> | 1st at Nairobi NP; several locations |
| 273 | Carruthers's Cisticola | <i>Cisticola carruthersi</i> | 8/23 Victoria papyrus swamp specialty |
| 274 | Stout Cisticola | <i>Cisticola robustus</i> | 1st at Nairobi NP; several locations |
| 275 | Tabora (Long-tailed) Cisticola | <i>Cisticola angusticaudus</i> | Siana scrub specialty 8/27 |
| 276 | Siffling Cisticola | <i>Cisticola brachypterus</i> | Nairobi NP |
| 277 | Zitting Cisticola | <i>Cisticola juncidis</i> | lakes; Mara |
| 278 | Desert Cisticola | <i>Cisticola aridulus</i> | Baringo escarp. |
| 279 | Pectoral-patch Cisticola | <i>Cisticola brunnescens</i> | Mara |
| 280 | Tawny-flanked Prinia | <i>Prinia subflava</i> | several locations |
| 281 | Pale Prinia | <i>Prinia somalica</i> | Kakamega |
| 282 | White-chinned Prinia | <i>Prinia leucopogon</i> | Kakamega |
| 283 | Banded Prinia | <i>Prinia bairdii</i> | Kakamega - a prinia with looks! |
| 284 | Black-throated Apalis | <i>Apalis jacksoni</i> | Kakamega 8/22 |
| 285 | Yellow-breasted Apalis | <i>Apalis flavida</i> | Baringo escarp. |
| 286 | Buff-throated Apalis | <i>Apalis rufogularis</i> | Mt Kenya a.m. walk |
| 287 | Chestnut-throated Apalis | <i>Apalis porphyrolaema</i> | Naro Moru |
| 288 | Black-headed Apalis | <i>Apalis melanocephala</i> | Mt Kenya a.m. walk |
| 289 | Gray Apalis | <i>Apalis cinerea</i> | Mt Kenya a.m. walk |
| 290 | Red-fronted Warbler | <i>Urorhipis rufifrons</i> | Baringo escarp. |
| 291 | Gray-capped Warbler | <i>Eminia lepida</i> | 1st at Naro Moru |
| 292 | Gray-backed Camaroptera | <i>Camaroptera brachyura</i> | "Camera-operator" most days |
| 293 | Miombo (Pale) Wren-warbler | <i>Calamonastes undosus</i> | Siana scrub 8/27 |
| 294 | Gray Wren-Warbler | <i>Calamonastes simplex</i> | Baringo escarp. |
| OLD WORLD WARBLERS <i>Passeriformes Sylviidae</i> | | | |
| 295 | African Bush-Warbler (Little Rush Wrblr) | <i>Bradypterus baboecala</i> | Siana scrub 8/27 |
| 296 | *Black-faced Rufous-Warbler (H) | <i>Bathmocercus rufus</i> | Heard only Kakamega |
| 297 | Greater Swamp-Warbler | <i>Acrocephalus rufescens</i> | 8/23 Victoria papyrus swamp specialty |
| 298 | Lesser Swamp-Warbler | <i>Acrocephalus gracilirostris</i> | Nairobi NP |
| 299 | Mountain Yellow Warbler | <i>Chloropeta similis</i> | Mt Kenya |
| 300 | Buff-bellied Warbler | <i>Phyllolais pulchella</i> | Baringo escarp. |
| 301 | Turner's Eremomela | <i>Eremomela turneri</i> | Kakamega specialty |
| 302 | Northern Crombec | <i>Sylvietta brachyura</i> | Baringo area |
| 303 | Red-faced Crombec | <i>Sylvietta whytii</i> | 1st at Naro Moru |
| 304 | Green Hylia | <i>Hylia prasina</i> | Kakamega specialty 8/22 |
| 305 | Uganda Wood-Warbler | <i>Phylloscopus budongoensis</i> | some saw one at Kakamega 8/22 |
| 306 | Brown Woodland-Warbler | <i>Phylloscopus umbrovirens</i> | Mt Kenya a.m. walk |
| 307 | Southern Hyliota | <i>Hyliota australis</i> | Kakamega specialty |

| OLD WORLD FLYCATCHERS <i>Passeriformes Muscicapidae</i> | | | |
|--|---------------------------------------|-------------------------------------|---|
| 308 | Silverbird | <i>Empidonax hammondi</i> | 1st in Mogotio 8/19 |
| 309 | Pale Flycatcher | <i>Bradornis pallidus</i> | Naro Moru 8/17 |
| 310 | African Gray Flycatcher | <i>Bradornis microrhynchus</i> | Baringo escarp. |
| 311 | White-eyed Slaty-Flycatcher | <i>Melaenornis fischeri</i> | common on first half of trip (through Nakuru) |
| 312 | Northern Black-Flycatcher | <i>Melaenornis edolioides</i> | Kakamega 8/22 |
| 313 | Southern Black-Flycatcher | <i>Melaenornis pammelaina</i> | by some 8/21; Mara 8/24 |
| 314 | Gambaga Flycatcher | <i>Muscicapa gambagae</i> | Baringo escarp 8/21 |
| 315 | Swamp Flycatcher | <i>Muscicapa aquatica</i> | 8/23 Victoria papyrus swamp specialty |
| 316 | African Dusky Flycatcher | <i>Muscicapa adusta</i> | common on either side of Rift Valley |
| 317 | White-starred Robin | <i>Pogonochila stellata</i> | Mt Kenya |
| 318 | Equatorial Akalat | <i>Sheppardia aequatorialis</i> | Kakamega 8/22 |
| 319 | Cape Robin-Chat | <i>Cossypha caffra</i> | Mt Kenya |
| 320 | Gray-winged Robin-Chat | <i>Cossypha polioptera</i> | Kakamega |
| 321 | Rueppell's Robin-Chat | <i>Cossypha semirufa</i> | 1st at KB Cottages |
| 322 | White-browed Robin-Chat | <i>Cossypha heuglini</i> | wider supercilary than Rueppell's |
| 323 | Snowy-crowned (-headed) Robin-Chat | <i>Cossypha niveicapilla</i> | wet area behind Rondo |
| 324 | Spotted Morning-Thrush | <i>Cichladusa guttata</i> | known to escort people on Island Camp trails |
| 325 | Red-backed (White-browed) Scrub-Robin | <i>Cercotrichas leucophrys</i> | 1st on drive to Naro Moru |
| 326 | African (Common) Stonechat | <i>Saxicola torquata</i> | drive to Maro Noru; Baringo escarp. 8/21 |
| 327 | Mourning (Abyssinian Black) Wheatear | <i>Oenanthe lugens</i> | aft lunch on ride back to Nairobi 8/27 |
| 328 | Capped Wheatear | <i>Oenanthe pileata</i> | Solio 8/17 |
| 329 | Brown-tailed (Rock-Chat) Chat | <i>Cercomela scotocerca</i> | Baringo escarp. 8/20 |
| 330 | Northern Anteater-Chat | <i>Myrmecocichla aethiops</i> | Nakuru; Mara; Siana scrub |
| 331 | Sooty Chat | <i>Myrmecocichla nigra</i> | Mara |
| 332 | Mocking (White-shouldered) Cliff-Chat | <i>Thamnolaea cinnamomeiventris</i> | Baringo escarp. 8/20 |
| WATTLE-EYES <i>Passeriformes Platysteiridae</i> | | | |
| 333 | Brown-throated (Common) Wattle-eye | <i>Platysteira cyanea</i> | 1st at Kakamega |
| 334 | Chestnut Wattle-eye | <i>Platysteira castanea</i> | Kakamega specialty 8/22 |
| 335 | Chinspot Batis | <i>Batis molitor</i> | 1st at Naro Moru; Nakuru |
| 336 | Pygmy Batis | <i>Batis perkeo</i> | Kerio death march 8/21 |
| MONARCH FLYCATCHERS <i>Passeriformes Monarchidae</i> | | | |
| 337 | African Blue-Flycatcher | <i>Elminia longicauda</i> | Kakamega |
| 338 | Dusky Crested-Flycatcher | <i>Elminia nigromitrata</i> | Kakamega 8/22 |
| 339 | African Paradise-Flycatcher | <i>Terpsiphone viridis</i> | showy bird seen most days |
| BABLERS <i>Passeriformes Timaliidae</i> | | | |
| 340 | Scaly-breasted Illadopsis | <i>Illadopsis albipectus</i> | Kakamega 8/22 |
| 341 | Brown Illadopsis | <i>Illadopsis fulvescens</i> | Kakamega 8/22 |
| 342 | Gray-chested Illadopsis | <i>Kakamega poliothorax</i> | Kakamega 8/22 |
| 343 | Rufous Chatterer | <i>Turdoides rubiginosus</i> | Kerio valley |
| 344 | Northern Pied-Babbler | <i>Turdoides hypoleucus</i> | Nairobi NP |
| 345 | Arrow-marked Babbler | <i>Turdoides jardineii</i> | 1st at Nakuru |
| CHICKADEES AND TITS <i>Passeriformes Paridae</i> | | | |
| 346 | White-bellied Tit | <i>Melaniparus albiventris</i> | 1st at KB Cottages |
| 347 | Dusky Tit | <i>Melaniparus funereus</i> | Kakamega |
| 348 | Red-throated Tit | <i>Melaniparus fringillinus</i> | Siana scrub |
| 349 | Northern Grey Tit | <i>Melaniparus thruppi</i> | Baringo escarp. 8/20 |
| PENDULINE TITS <i>P. Remizidae</i> | | | |
| 350 | Mouse-colored Penduline-Tit | <i>Anthoscopus musculus</i> | tiny - Baringo escarp. 8/20 |
| 351 | African Penduline-Tit | <i>Anthoscopus caroli</i> | Siana scrub |

| | | | |
|-----|--|----------------------------------|--|
| | SUNBIRDS <i>P. Nectariniidae</i> | | |
| 352 | Kenya (Eastern) Violet-backed Sunbird | <i>Anthreptes orientalis</i> | Baringo area |
| 353 | Green Sunbird | <i>Anthreptes rectirostris</i> | Kakamega |
| 354 | Collared Sunbird | <i>Hedydipna collaris</i> | 1st at KB cottages |
| 355 | Green-headed Sunbird | <i>Cyanomitra verticalis</i> | Mt Kenya; Kakamega |
| 356 | Amethyst Sunbird | <i>Chalcomitra amethystina</i> | 1st at KB Museum |
| 357 | Scarlet-chested Sunbird | <i>Chalcomitra senegalensis</i> | 1st at KB Museum |
| 358 | Hunter's Sunbird | <i>Chalcomitra hunteri</i> | Baringo escarp. 8/20 |
| 359 | Tacazze Sunbird | <i>Nectarinia tacazze</i> | Naro Moru |
| 360 | Bronze Sunbird | <i>Nectarinia kilimensis</i> | 1st at Karatina Ponds near Mt Kenya |
| 361 | Golden-winged Sunbird | <i>Nectarinia reichenowi</i> | aft Thomson's Fallside of the rd late aft 8/17 |
| 362 | Northern Double-collared Sunbird | <i>Cinnyris preussi</i> | Naro Moru; Kakamega |
| 363 | Eastern Double-collared Sunbird | <i>Cinnyris mediocris</i> | Mt Kenya |
| 364 | Beautiful Sunbird | <i>Cinnyris pulchellus</i> | Baringo |
| 365 | Mariqua (Marico) Sunbird | <i>Cinnyris mariquensis</i> | 1st at Mogotio 8//19 |
| 366 | Red-chested Sunbird | <i>Cinnyris erythrocerca</i> | Lake Victoria basin specialty |
| 367 | Variable Sunbird | <i>Cinnyris venustus</i> | widespread |
| | WHITE-EYES <i>Passeriformes Zosteropidae</i> | | |
| 368 | African Yellow White-eye | <i>Zosterops senegalensis</i> | the western white-eye - Kakamega 8/22 |
| 369 | Montane White-eye | <i>Zosterops poliogaster</i> | the eastern white-eye; largest eye ring |
| 370 | White-breasted (Abyssinian) White-eye | <i>Zosterops abyssinicus</i> | KB cottages; Kakamega |
| | ORIOLES <i>Passeriformes Oriolidae</i> | | |
| 371 | Western Black-headed Oriole(H) | <i>Oriolus brachyrhynchus</i> | Heard only - Kakamega 8/22 |
| 372 | African Black-headed Oriole | <i>Oriolus larvatus</i> | 1st at Naro Moru |
| 373 | Montane Oriole | <i>Oriolus percivali</i> | Mt. Kenya |
| | SHRIKES <i>Passeriformes Laniidae</i> | | |
| 374 | Gray-backed Fiscal | <i>Lanius excubitoroides</i> | 1st at Nakuru 8/8/18 |
| 375 | Long-tailed Fiscal | <i>Lanius cabanisi</i> | Nairobi NP; Nakuru |
| 376 | Common Fiscal | <i>Lanius collaris</i> | well named |
| 377 | Magpie Shrike | <i>Corvinella melanoleuca</i> | Siana scrub 8/26 |
| 378 | White-rumped (N. White-crowned) Shrike | <i>Eurocephalus rueppelli</i> | Baringo escarp. 8/21; Siana scrub 8/27 |
| | BUSHSHRIKES AND ALLIES <i>Passeriformes Malaconotidae</i> | | |
| 379 | Brubru | <i>Nilaus afer</i> | Baringo escarp. |
| 380 | Northern Puffback | <i>Dryoscopus gambensis</i> | Nakuru 8/18 |
| 381 | Black-backed Puffback | <i>Dryoscopus cubla</i> | several locations |
| 382 | Pink-footed Puffback | <i>Dryoscopus angolensis</i> | Kakamega 8/22 |
| 383 | Black-crowned Tchagra | <i>Tchagra senegala</i> | Kerio valley death march 8/21 |
| 384 | Brown-crowned Tchagra | <i>Tchagra australis</i> | Nakuru 8/18; Siana scrub |
| 385 | Luehder's Bushshrike | <i>Laniarius luehderi</i> | Kakamega 8/22 |
| 386 | Tropical Boubou | <i>Laniarius aethiopicus</i> | widespread |
| 387 | Black-headed Gonolek | <i>Laniarius erythrogaster</i> | Kerio death march 8/21; Kisumu |
| 388 | Papyrus Gonolek | <i>Laniarius mufumbiri</i> | Kisumu local (Victoria basin) specialty |
| 389 | Slate-colored Boubou | <i>Laniarius funebris</i> | Baringo escarp 8/21; Mara 8/24 |
| 390 | Gray-green (Bocage's) Bushshrike | <i>Telophorus bocagei</i> | Kakamega 8/22 |
| 391 | Sulphur-breasted Bushshrike | <i>Telophorus sulfureopectus</i> | Siana scrub 8/26 |
| 392 | Gray-headed Bushshrike | <i>Malaconotus blanchoti</i> | Baringo escarp 8/21; Mara 8/25 |
| | DRONGOS <i>Passeriformes Dicruridae</i> | | |
| 393 | Square-tailed Drongo | <i>Dicrurus ludwigii</i> | Kakamega 8/22; Mara 8/25 |
| 394 | Fork-tailed (Common) Drongo | <i>Dicrurus adsimilis</i> | well named |
| | CROWS AND JAYS <i>Passeriformes Corvidae</i> | | |
| 395 | Cape (Rook) Crow | <i>Corvus capensis</i> | less widespread than Pied |
| 396 | Pied Crow | <i>Corvus albus</i> | widespread |
| 397 | Fan-tailed Raven | <i>Corvus rhipidurus</i> | Baringo escarp. |

A Safari Report from: The Audubon Shop, 907 Boston Post Rd, Madison, CT 06443, USA

| STARLINGS <i>Passeriformes Sturnidae</i> | | | |
|---|---|-----------------------------------|---|
| 398 | Wattled Starling | <i>Creatophora cinerea</i> | Nakuru; Siana Springs |
| 399 | Greater Blue-eared Glossy-Starling | <i>Lamprotornis chalybaeus</i> | widespread |
| 400 | Rueppell's (Long-tailed)Glossy-Starling | <i>Lamprotornis purpuropterus</i> | 1st at Nakuru |
| 401 | Superb Starling | <i>Lamprotornis superbus</i> | Superb indeed! - widespread |
| 402 | Hildebrandt's Starling | <i>Lamprotornis hildebrandti</i> | Superb look-a-like - less widespread |
| 403 | Violet-backed Starling | <i>Cinnyricinclus leucogaster</i> | 8/16; Kerio valley 8/21; Siana scrub 8/26 |
| 404 | Red-winged Starling | <i>Onychognathus morio</i> | Eldoret (?) city where we bought booze |
| 405 | Bristle-crowned Starling | <i>Onychognathus salvadorii</i> | Baringo escarp. |
| 406 | Stuhlmann's Starling | <i>Poeoptera stuhlmanni</i> | Kakamega |
| 407 | Sharpe's Starling | <i>Pholia sharpii</i> | by some Mt Kenya 8/16 |
| 408 | Red-billed Oxpecker | <i>Buphagus erythrorhynchus</i> | 1st at Mt Kenya; Nakuru; Mara |
| 409 | Yellow-billed Oxpecker | <i>Buphagus africanus</i> | Mara |
| WEAVERS AND ALLIES <i>Passeriformes Ploceidae</i> | | | |
| 410 | White-billed Buffalo-Weaver | <i>Bubalornis albirostris</i> | Baringo area |
| 411 | White-headed Buffalo-Weaver | <i>Dinemellia dinemelli</i> | Baringo area |
| 412 | Speckle-fronted Weaver | <i>Sporopipes frontalis</i> | Baringo escarp; Siana scrub |
| 413 | White-browed Sparrow-Weaver | <i>Plocepasser mahali</i> | 1st on drive to Naro Moru; Baringo area |
| 414 | Gray-headed (-capped) Social-Weaver | <i>Pseudonigrita arnaudi</i> | w/ 2-banded Courser-drive to Nairobi 8/27 |
| 415 | Baglafaecht Weaver | <i>Ploceus baglafaecht</i> | most common weaver |
| 416 | Slender-billed Weaver | <i>Ploceus pelzelni</i> | Kisumu swamp 8/23 |
| 417 | Little Weaver | <i>Ploceus luteolus</i> | Baringo area |
| 418 | Lesser Masked-Weaver | <i>Ploceus intermedius</i> | Baringo area |
| 419 | Spectacled Weaver | <i>Ploceus ocularis</i> | Nakuru 8/18; Siana scrub |
| 420 | Black-necked Weaver | <i>Ploceus nigricollis</i> | Kakamega 8/22 |
| 421 | Black-billed Weaver | <i>Ploceus melanogaster</i> | Kakamega |
| 422 | Holub's Golden-Weaver | <i>Ploceus xanthops</i> | Nairobi; Nakuru; Siana |
| 423 | Northern Masked-Weaver | <i>Ploceus taeniopterus</i> | Baringo area |
| 424 | Vitelline Masked-Weaver | <i>Ploceus velatus</i> | Baringo area |
| 425 | Village (Black-headed) Weaver | <i>Ploceus cucullatus</i> | Mogotio 8/19 |
| 426 | Speke's Weaver | <i>Ploceus spekei</i> | Nakuru |
| 427 | Vieillot's Weaver | <i>Ploceus nigerrimus</i> | Kakamega |
| 428 | Black-headed (Yellow-backed) Weaver | <i>Ploceus melanocephalus</i> | Kisumu swamp 8/23 |
| 429 | (Jackson's) Golden-backed Weaver | <i>Ploceus jacksoni</i> | Baringo area |
| 430 | Chestnut Weaver | <i>Ploceus rubiginosus</i> | Baringo escarp. |
| 431 | Dark-backed Weaver | <i>Ploceus bicolor</i> | Kakamega |
| 432 | Brown-capped Weaver | <i>Ploceus insignis</i> | Mt Kenya; Kakamega |
| 433 | Red-headed Malimbe | <i>Malimbus rubricollis</i> | Kakamega 8/23 - striking! |
| 434 | Red-headed Weaver | <i>Anaplectes rubriceps</i> | Baringo; Mara |
| 435 | Red-billed Quelea | <i>Quelea quelea</i> | Baringo escarp |
| 436 | Yellow Bishop | <i>Euplectes capensis</i> | 1st near Naro Moru; Nakuru |
| 437 | Fan-tailed Widowbird | <i>Euplectes axillaris</i> | Mara |
| 438 | Yellow-shouldered (-mantled) Widowbird | <i>Euplectes macrourus</i> | Mara 8/24 |
| 439 | White-winged Widowbird | <i>Euplectes albonotatus</i> | Nairobi NP |
| 440 | Red-collared Widowbird | <i>Euplectes ardens</i> | Nairobi NP; Solio |
| 441 | Jackson's Widowbird | <i>Euplectes jacksoni</i> | Nakuru 8/18 |
| WAXBILLS AND ALLIES <i>Passeriformes Estrildidae</i> | | | |
| 442 | Gray-headed Negrofinch | <i>Nigrita canicapilla</i> | Naro Moru; Kakamega |
| 443 | Green-winged Pytilia | <i>Pytilia melba</i> | Baringo escarp 8/20 |
| 444 | Red-headed Bluebill | <i>Spermophaga ruficapilla</i> | Kakamega 8/23 |
| 445 | Red-billed Firefinch | <i>Lagonosticta senegala</i> | most days |
| 446 | African Firefinch | <i>Lagonosticta rubricata</i> | Nakuru 8/18 |
| 447 | Red-cheeked Cordonbleu | <i>Uraeginthus bengalus</i> | most days |

A Safari Report from: The Audubon Shop, 907 Boston Post Rd, Madison, CT 06443, USA

| | | | |
|---|---------------------------------|-----------------------------------|---|
| 448 | Blue-capped Cordonbleu | <i>Uraeginthus cyanocephalus</i> | Baringo escarp |
| 449 | Purple Grenadier | <i>Uraeginthus ianthinogaster</i> | widespread |
| 450 | Yellow-bellied Waxbill | <i>Estrilda quartinia</i> | Naro Moru |
| 451 | Crimson-rumped Waxbill | <i>Estrilda rhodopyga</i> | Baringo |
| 452 | Common Waxbill | <i>Estrilda astrild</i> | 1st at KB cottages |
| 453 | Black-cheeked Waxbill | <i>Estrilda erythronotos</i> | Baringo escarp 8/20 |
| 454 | Zebra Waxbill | <i>Amandava subflava</i> | Nairobi NP |
| 455 | Gray-headed Silverbill | <i>Lonchura griseicapilla</i> | Baringo escarp; Siana scrub |
| 456 | Bronze Mannikin | <i>Lonchura cucullata</i> | among 1st sp. seen-feeders @ KB cottages |
| 457 | Black-and-white Mannikin | <i>Lonchura bicolor</i> | Kakamega 8/22 |
| INDIGOBIRDS <i>Passeriformes Viduidae</i> | | | |
| 458 | Village Indigobird | <i>Vidua chalybeata</i> | Naro Moru |
| 459 | Pin-tailed Whydah | <i>Vidua macroura</i> | Mt Kenya by some; mogotio 8/19 in breeding plu. |
| 460 | Eastern Paradise-Whydah | <i>Vidua paradisaea</i> | Baringo escarp 8/20 |
| BUNTINGS <i>Passeriformes Emberizidae</i> | | | |
| 461 | Golden-breasted Bunting | <i>Emberiza flaviventris</i> | Nakuru; Siana scrub |
| FINCHES <i>Passeriformes Fringillidae</i> | | | |
| 462 | Oriole Finch | <i>Linurgus olivaceus</i> | Kakamega 8/23 |
| 463 | Cape (Yellow-crowned) Canary | <i>Serinus canicollis</i> | Mt Kenya |
| 464 | African Citril | <i>Serinus citrinelloides</i> | 1st at Nairobi NP; Karatina ponds |
| 465 | Papyrus Canary | <i>Serinus koliensis</i> | Kisumu |
| 466 | (Kenya) Yellow-rumped Seedeater | <i>Serinus reichenowi</i> | Nairobi NP; Mara |
| 467 | Yellow-fronted Canary | <i>Serinus mozambicus</i> | 1st at Mogolito |
| 468 | White-bellied Canary | <i>Serinus dorsostriatus</i> | Baringo escarp 8/20 |
| 469 | Brimstone Canary | <i>Serinus sulphuratus</i> | 1st at Nairobi NP |
| 470 | Streaky Seedeater | <i>Serinus striolatus</i> | 1st at KB cottages |
| 471 | Thick-billed Seedeater | <i>Serinus burtoni</i> | Naro Moru |
| OLD WORLD SPARROWS <i>Passeriformes Passeridae</i> | | | |
| 472 | House Sparrow | <i>Passer domesticus</i> | YES! |
| 473 | Rufous Sparrow | <i>Passer motitensis</i> | widespread |
| 474 | Gray-headed Sparrow | <i>Passer griseus</i> | Kakamega |
| 475 | Parrot-billed Sparrow | <i>Passer gongonensis</i> | 1st at Nakuru (split from Grey-headed) |
| 476 | Swahili Sparrow | <i>Passer suahelicus</i> | Mara (split from Grey-headed) |
| 477 | Chestnut Sparrow | <i>Passer eminibey</i> | Baringo |
| 478 | Yellow-spotted Petronia | <i>Petronia pyrgita</i> | Baringo escarp. 8/20; Mara; Siana scrub |

Mammals

Yellow-winged Bat
African Fruit Bat

Greater Galego
Vervet Monkey
Blue Monkey
Sykes Monkey
Copper-tailed Monkey
Black and White Colobus
Olive Baboon

Golden Jackal
Black-backed Jackal

Bat-eared Fox

Banded Mongoose
Swamp Mongoose

Spotted Hyena

Cheetah
Lion
Leopard

African Elephant

Western Tree Hyrax
Rock Hyrax

Plains Zebra

Black Rhinocerus
White Rhinocerus

Warthog

Hippopotamus

Massai Giraffe
Rothschid's Giraffe

Cape Buffalo

Cooke's Hartebeest
Jackson's Hartebeest
Wildebeest

Topi

Impala

Grant's Gazelle
Thomson's Gazelle

Bushbuck

Common Eland

Beisa Oryx

Kirk's Dikdik

Suni

Defassa Waterbuck

Bohor Reedbuck

Ground Squirrel

Unstriped Ground Squirrel

Red-legged Sun Squirrel

Huet's Ochre Bush Squirrel

Cape Hare

Spring Hare

Butterflies

African Monarch
Scarlet-tipped White
Brown-veined White
Citrus Swallowtail
Green-banded Swallowtail
Dark Blue Pansy
Yellow Pansy
Eastern Dotted Border
Grass Yellow
Zebra Butterfly
African Babul Blue

Reptiles

Nile Monitor Lizard
Nile Crocodile
Red-headed Agama Lizard
Brooke's Gecko
Common House Gecko
Rainbow Skink